# Website System Design Using Agile Kanban Based On QR Code

by perpustakaan 1

Submission date: 20-Jul-2022 09:54PM (UTC-0400) Submission ID: 1873212450 File name: Paper4.pdf (1.9M) Word count: 4286 Character count: 22310 JISA (Jurnal Informatika dan Sains) Vol. 05, No. 01, June 2022 Proper Noun (ETS)

### Website System Design Using Agile Kanban Based On QR Code

Alton Gunawan Purwanto<sup>1</sup>, Ricky Yohanes Wijaya<sup>2</sup>, Timotius<sup>3</sup>, Indra Budi Trisno<sup>4</sup> <sup>1,2,3,4</sup> Program Studi Teknik Informatika, Universitas Widya Kartika

Email: <sup>1</sup>altongunawan27@gmail.com, <sup>2</sup>rickyyohanes98@gmail.com, <sup>3</sup>timoti.tt15@gmail.com, <sup>4</sup>indrabt@gmail.com

Abstract – Business developments that occur today cannot be separated from the role of technology and information systems. The system that will be discussed in this journal is a Web-based Restaurant System that uses a QR code. This system will handle at least 5 types of users, namely admin, waiter, cheff cleaning service, and customers where the five kind of users have different access rights. Restaurant information systems using this QR Code can speed up performance in ordering menus, serving ordered dishes, paying bills to customers and cleaning tables after use. The use of the QR code itself is very suitable in the restaurant business and marketing practices because of its advantages, namely being mobile fried and easy to get information. This will improve the quality of the restaurant in terms of service and time. This Web-Based Restaurant Menu Ordering Application is designed using web programming languages, namely PHP. For the database, it will use MySQL and the system development method will use the Agile Kanban method which can help an organization produce software that has been tested and is ready to use. The results of the system design will be in the form of a comparison table for the old and new systems depicted by the PIECES table, then UML for system modeling, and website interface. The system created will help in reducing the amount of paper used for order receipts. In addition, users can also order menus during the COVID-19 pandemic with restaurants that use this system.

#### Keywords – QR Code, Restaurant, PHP, Agile Kanban, PIECES

#### I. INTRODUCTION

Information technology, including computers, software, databases, internet, and other tools works specifically by giving a lot of information to various actors in various contexts. A computerized system will facilitate and assist companies in making decisions, especially being able to help various business fields in the midst of this covid-19 pandemic. The covid-19 pandemic has paralyzed all activities in various circles [1]. Covid-19, which has had many variants and has spread to almost all countries, requires changing almost all of our daily activities. The government has suggested many precautions for covid-19 to stop the spread of this virus, including social distancing, wearing masks, and avoiding crowds [2]. However, basic human needs such as food and drink cannot be replaced. The covid-19 pandemic has made people who want to visit restaurants to be more careful because it is considered as a place which has high percentage risk of the covid-19 virus can be transmitted [8]. In addition, the restaurant system which is still manual by means of the waiter approaching the visitor then writing a message on a piece of paper and delivering the scustomer's order to the chef makes the service take a long time, miscommunication between the buyer and the waiter and can cause crowds of visitors.

Based on these problems, to improve efficiency in the restaurant system, menu serving management, and resources are very important matters. How to increase efficiency in order to provide services to customers, so that they can produce good restaurant services [4]. Problem identification includes:

- There are government precautions to avoid crowds which can facilitate the spread of the covid-19 virus.
- 2. The recording process is still manual which causes time efficiency.
- 3. There are still orders exors due to miscommunication between waiters and visitors

To overcome this problem, a web-based restaurant system was created using a QR code [5]. This research is limited by the limitations of the scope and management of data boundaries such as menu data, visitor data, payment data, ordering data, menu data, payment data, and table status data

QR code is a two-dimensional barcode that contains written and printed data in a more concise medium. QR codes were first introduced by the Japanese company Denso-Wave in 1994 [6]. QR stands for Quick Response as it aims to allow its contents to be encoded at high speed. QR code is capable of storing all types of data, such as numeric, alphanumeric, binary, and kanji/kana [7]. The way the QR code works itself is first the pattern of the QR code is taken using a cellphone camera (HP) or another scanner that is able to translate the QR code. Then the pattern on the QR code is decoded using special software that can read the information stored in the QR code pattern. The QR code system consists of an encoder and a decoder. The encoder is responsible for encoding the data and generating the QR code, while the decoder decodes the data from the QR code [8]. The QR code will be integrated with the table and directly connected to the ordering system.

The program planning that is made will be displayed in a UML diagram and the framework used is the kanban method.sUML is a predefined modeling language for

JISA (Jurnal Informatika dan Sains) (e-ISSN: 2614-8404) is published by Program Studi Teknik Informatika, Universitas Trilogi under Creative Commons Athibution-ShateAlike 4.0 International License.



19

#### JISA (Jurnal Informatika dan Sains) Vol. 05, No. 01, June 2022 Proper Noun (Ers

software development. The UML approach uses an objectoriented approach. UML consists of 14 diagrams, which are used in this system, including Class Diagrams, Use Case Diagrams, and Sequence Diagrams [9].

Web based means the program to be made based on the website using the PHP programming languages as the main components. Which the main component is PHP as a Server-Side programming language. PHP is an acronym for Hypertext Preprocessor, an open source server-side scripting based programming language. Then the script from PHP will be processed on the server-side [10]. The database used is MySQL which is the most frequently used query programming language. MySQL is one type of database that is open source and is widely used to build web-based applications as a source of data processing. SQL (Structured Query Language) is the standard language used to access database servers. In the 70s this language was developed by IBM, which was then followed by Oracle, Informix, and Sybase. By using SQL, the process of accessing the database becomes easy [11]. By implementing the two things above, it is expected to create an orderly, neat, and smooth flow/process of work and the programs made can be more neat and structured. And finally, a program cannot be considered feasible if it has not received testing. The testing method used is black box testing.

Black Box is a testing method used to test an application/software without having to pay attention to the details of the application/software. Black Box testing only checks the output value based on the input value. Black Box testing process is carried out by trying the application/software and entering data on each form which aims to find out whether the application/software is running as desired [12].

In developing this system software, Agile Kanban methodology is used. This method is part of the SDLC development that can track the progress of each task being done and can limit the amount of work being done to provide a time limit for completing a task. Components in Kanban use boards and cards, the board is an environment of kanban containing various cards with tasks that need to be completed [13].

The web program is considered very suitable to be applied in the current era of technology, and also because of the restrictions due to the increasingly widespread Covid-19 pandemic. The development of this application will certainly improve the services provided by restaurants because currently each restaurant continues to strive to improve quality by providing the best service and one of them is by utilizing information technology to support the restaurant business [14].

The research topic written can be concluded that the purpose of this research by developing a Web-Based Restaurant System program using a QR Code is to improve restaurant service for customers, facilitate ordering by customers, reduce the spread of covid-19, and facilitate the management of restaurant activities. The results of the research are expected to be implemented in a restaurant so that the restaurant will benefit from the system built, namely the convenience between customers and employees.

#### e-ISSN: 2614-8404 p-ISSN:2776-3234

#### II. RESEARCH METHODOLOGY

In developing a restaurant system website, the PIECES analysis method is used, which is a technique to identify and solve problems that occur in information systems. PIECES consists of performance, information analysis, economic analysis, security analysis, efficiency analysis, and service [15]. To produce quality software in a short time and at a low cost using a development process called the System Development Life Cycle (SDLC). The development stage in the SDLC can help an organization to be able to produce software that has been tested and is ready for use. The SDLC design method on this system uses the Agile method with the kanban framework. This Agile Kanban method is used to track progress and visualized using a kanban board, resulting in transparency on each member's work. Agile Kanban is more effective in managing software development. Compared to agile scrum, agile kanban does not have to wait as long as a sprint when a task has been completed. Kanban board has many forms of stages but the main ones are backlog inprogress, and complete. Kanban implementation can create a more structured workflow [13] [16].

There are 6 stages used in this project management, and these stages are described as follows, 1. Backlog

In the backlog, all tasks will be broken down into more detailed tasks, which will be performed and sorted according to different priority levels of work. All tasks related to this system will be collected in the backlog.

2. To Do

After all the ideas are collected in the backlog, the tasks will be moved to the to do section. In this Article section, it is determined that all tasks are of high quality and will be carried out during development.

In Progress

If there is a task to be done, then the task is moved from the to do stage to the in progress stage. At this stage, the work on the task is being carried out in order of priority. To increase efficiency and streamline workflows due to many unfinished tasks, it is necessary to set boundaries for work in progress, to focus the team on completing tasks systematically.

4. Testing

If there is a task that needs to be tested, the task will be moved from the In progress stage to the Testing stage. This stage is optional, testing at this stage is carried out by the user and the team is also responsible for monitoring the progress of the test and following up on any problems that arise.


- Feedback
  At this Feedback stage, the user provides input on deficiencies or problems with the tasks that have been tested by the user during the Testing stage
  Done
  - A task is considered complete and will be entered into the Done stage if the results of the task have met the requirements and development standards,

JISA (Jurnal Informatika dan Sains) (e-ISSN: 2614-8404) is published by Program Studi Teknik Informatika, Universitas Trilogi under Creative Commons Attribution-SharaAlike 4.0 International License.




P/V 📧

20





#### e-ISSN: 2614-8404 p-ISSN:2776-3234



# JISA (Jurnal Informatika dan Sains) Vol. 05, No. 01, June 2022 Proper Noun




Figure. 10 Sequence Diagram Change Order Status

#### Class Diagram 4.

There are 12 classes in this system, namely Payment, Chef, Waiter, Customer, Basket, Basket Items, Orders, Order Details, Menu, Admin, Cleaning, and Table classes. The interactions between classes are shown in Figure 11 while the properties of the classes are shown in Figure 12g "," 65



Figure. 11 Restaurant System Class Diagram




5. Website Interface

In the website interface, it will display the appearance of the website that has been designed according to the UML Diagram created. The

ŠA (Jurnal Informatika dan Sains) (e-ISSN: 2614-8404) is published by F	Program Studi Teknik Informatika, Universitas Trilogi
der Creative Commons Attribution-ShateAlike 4.0 International License	4
	P/V @
BY SA	

#### e-ISSN: 2614-8404 p-ISSN:2776-3234

23



### JISA (Jurnal Informatika dan Sains) Vol. 05, No. 01, June 2022 Proper Noun @

Vaiter	3 🛓
Table Num.	
1	
Pigeon salad with herbes de	1
Without garlic	qty
Pear and parsley	1
soup +3 more items Mark as Done	qty
Detail	
Table Num. 2	
Tea and date bread	1 qty
Mark as Done	

Figure 21 is a menu that will be displayed after successfully logging in for an account with waiter privileges. In this menu, the waiter can view order details and change the order status.

der Status Menu Availability				
To De	D	oing	Done	
Table Num. 3 a work etc. 2 state as Dang Itan as Dang Estal	Table Hore, 1 Papers rates with hortes the set without pack Para Abl paraty solog +3 reservant Man ab Dores Datal	Table Nore, 2 Tes and dee 1 bread ev Uset as Sone Stati	Table Nues. 4 musishery saled with 2 gorix wy atressing <u>lenal</u>	

#### Figure. 22 Chef Homepage

Figure 22 is the menu that will be displayed after successfully logging in for an account with chef access rights. In this menu, chefs can view orders, adjust menu availability, change menu status, and change order status.

### e-ISSN: 2614-8404 p-ISSN:2776-3234

Cleaning Service	1
Table needs to be	cleaned
Table Num.	
4	Mark as Done
Table in use	
Table Num.	Num of Cust.
1	1
2	1
Available table	
Table	Num.
	3

Figure. 23 Cleaning Service Dashboard

Figure 23 is a menu that will be displayed after successfully logging in for an account with access rights as a cleaning service. In this menu, the cleaning service can only change the usage status on each table.

To be able to test the results of this website system, a black box test was carried out whose results are shown in table 2 below. The black box test results on 4 system pages for customers, admins, waiters, chefs, and cleaning services get results that pass for each feature tested. Based on the research conducted, the PIECES analysis table, UML, and Article Error @

	1	Table 2. Black Box Te	esting Result	
No	Test Case	Expected Output	Actual Output	Status
А	Customer P	age System		
1	Create Account	Customer can create accounts	Customer can successfully create accounts	pass
2 Article	Scan QR Code Error	Customer can scan QR Code to to go to customer homepage crs	Customer can successfully scan QR Code to go to customer	<mark>pass</mark> S/V
3	Log In	Customer can log in according to account data	Customer success log in according to account data	pass
4	Search Menu	Customers can search the menu in the search input field accordingly	Customers p. success fully search the menu in the search input field accordingly	pass
5	Add Menu to Cart	Customers can choose the desired menu and collect it to cart	Customers can successfully choose the desired menu and collect it to cart	pass
6	Make Order	Customers can choose and make orders according to the menu presented on the customer homepage	Customers can successfully choose and make orders according to the menu presented on the customer homepage	pass
7	Receive Payment	Customer gets a notification	Customer successfully gets a	pass

JISA (Jurnal Informatika dan Sains) (e-ISSN: 2614-8404) is published by Program Studi Teknik Informatika, Universitas Trilogi under Creative Commons Attribution-SluggAfike 4.9 International License



### JISA (Jurnal Informatika dan Sains) Vol. 05, No. 01, June 2022 Prope

		1	1		
	Notificati	regarding the	notification		
	ons	success or failure	regarding the success or failure		2
	Posse	made	of the payment		
		-	made Customer		
8	Log Out	Customer can logged out from	successfully	pass	3
	Logour	system	logged out from	Paros	
		Genter	system Customers can		
	View	Customers can see details and	successfully see		4
9	Order	history of	details and history of transactions	pass	
	History	transactions that	that have been		
		have been made	made		
В	Admin Pag	e System	1		syst
-	Lagle	Admin can log in	Admin success		con
1	Log In	according to account data	log in according to account data	pass	resu
	Manage	Admin can	Admin can		syst
2	Payment	manage payment	successfully	pass	the
	Method	method	manage payment		can
	Manage	Admin Dussing	Admin can		org
3	Table	manage table	successfully	pass	redu
			Admin can	ing "," (	mor
4	Manage	Admin can manage menu	successfully	pass	sug
-	Menu	and catalog	manage menu and	puss	dev
			catalog Admin		mal
5	Log Out	Admin can logged out from	successfully	pass	the
	Log Out	system	logged out from	puss	
			system Admin can		{
6	Print QR	Admin can print QR code for each	successfully print	pass	
0	Code	table	QR code for each	pass	[1]
С	Waiter Dec	o Swetom	table		
C	Waiter Pag		Waiter success log		-
1	Log In	Waiter success log in according	in according to	pass	[2]
		to account data	account data 🕋		[[4]
2	View	Waiter can view and change the	Waiter can view and change the	2000	
2	Order	order status	order status	pass	
		Waiter can	Waiter		1
3	Log Out	logged out from	successfully logged out from	pass	
		system	system		[3]
D	Chef Page S	System	1		1
_		Chef success log	Chef success log		1
1	Log In	in according to	in according to	pass	[4]
		account data	account data Chefren, (frean		1 [1]
2	View Order	Chef can view the order status	successfully view	pass	
	order	order status	the order status		/
_	Change	Chef can change	Chef can successfully		
3	Order status	order status	change order	pass	[\$]
			status		1
	Adjust	Chef can adjust	Chef can successfully		/
4	availabilit	menu availability	adjust menu	pass	/
	у		availability		V
5	Log Out	Chef can logged	Chef successfully logged out from	pass	1
		out from system	v system 75	- I	[6]
E	Cleaning Se	ervice Page System		-T	[ [0]
		Cleaning Service	Cleaning Service		1
1	Log In	can log in	success log in	pass	
		according to account data	according to account data	Prep. 🥑	3)
L		account data	are outre dutte		1

#### e-ISSN: 2614-8404 p-ISSN:2776-3234

2	View Table Status	Cleaning service can see table usage status	Cleaning service can successfully see table usage status	pass
3	Change Table Status	Cleaning Service can change the usage status on each table	Cleaning Service can change the usage status on each table	pass
4	Log Out	Cleaning Service can logged out from system Verb	Cleaning Service successfully logged out from system	pass

#### IV. CONCLUSION

Based on the results of the development of a restaurant system that was made according to the needs of the community during the covid-19 pandemic as well as the results and discussions above, it can be concluded that the system that has been created has been in accordance with the research objectives, and with the creation of this system can make the restaurant system more structured and organized. The use of this web-based system can also help reduce paper usage. On the other hand, customers can be more comfortable in ordering menus during the covid-19 pandemic with restaurants that use this system. The author's suggestions for this system to be able to help other developers maximize the performance of this system, by making a financial reporting system to be able to describe the financial condition of the restaurant.

#### REFERENCES

[1]H. N. Saturwa, S. Suharno, and A. A. Ahmad, "The impact of Covid-19 pandemic on MSMEs," J. Ekoni dan Bisnis, vol. 24, no. 1, pp. 65-82, Mar. 2021, doi: 10.24914/JEB.V24I1.3905.

W. Zendrato, "Gerakan Mencegah Daripada [2] Mengobati Terhadap Pandemi Covid-19," J. Educ. Dev., vol. 8, no. 2, pp. 242-248, May 2020, Accessed: Nov. 13, 2021. [Online]. Available: http://journal.ipts.ac.id/index.php/ED/article/view/ 1689

- [3] The Lancet Respiratory Medicine, "COVID-19 transmission-up in the air," Lancet Respir. Med., vol. 8, no. 12, p. 1159, Dec. 2020, doi: 10.1016/S2213-2600(20)30514-2.
- [4] J. Caroline El Fiorenza, A. Chakraborty, R. Rishi, and K. Baghel, "Smart Menu Card System," Proc. 3rd Int. Conf. Commun. Electron. Syst. ICCES 2018, pp. 847-849, Oct. 2018, doi: 10.1109/CESYS.2018.8724045.

F.	FAISAL	and	М.	Α.	F.	ANAS,
"PE	MANFAAT	AN	KOD	E	QR	PADA
PE	VINGKATA	N	PELA	YAN	AN	DAN
KE.	PUASAN	PE	ELANC	GGAN	1	PADA
RES	STORAN," .	J. INST	EK (In	forma	ttika S	Sains dan
Tek	nol., vol. 5, r	10. 1, pj	p. 111-	-120, 1	Mar. 2	2020, doi:
10.2	24252/INSTI	EK.V5I	1.1450	)4.		

A. Priyambodo, K. Usman, and L. Novamizanti, "Implementation of Android-Based Qr Code in the Presence System," J. Teknol. Inf. dan Ilmu Komput., vol. 7, no. 5, pp. 1011-1020, 2020, doi: 10.25126/jtiik.202072337.

JISA (Jumal Informatika dan Sains) (e-ISSN: 2614-8404) is published by Program Studi Teknik Informatika, Universitas Trilogi under Creative Commons Attribution-ShareAlike 4.0 International License.



#### JISA (Jurnal Informatika dan Sains) Vol. 05, No. 01, June 2022

#### e-ISSN: 2614-8404 p-ISSN:2776-3234

- [7] E. F. Nurdiansyah and I. Afrianto, "IMPLEMENTASI QRCODE SEBAGAI TIKET MASUK EVENT DENGAN MEMPERHITUNGKAN TINGKAT KOREKSI KESALAHAN," J. Teknol. dan Inf., vol. 7, no. 2, pp. 25–44, Sep. 2017, doi: 10.34010/JATI.V712.491.
- [8] S. Tiwari, "An Introduction to QR Code Technology," pp. 39–44, Jul. 2017, doi: 10.1109/ICIT.2016.021.
- [9] T. A. Kurniawan, "Pemodelan Use Case (UML): Evaluasi Terhadap beberapa Kesalahan dalam Praktik," J. Teknol. Inf. dan Ilmu Komput., vol. 5, no. 1, pp. 77–86, Mar. 2018, doi: 10.25126/jtiik.201851610.
- [10] A. O. Ameen, M. A. Aremu, M. Olagunji, J. B. Awotunde, and O. T. Olowe, "Design and Development of a Safe and Effective Online Marketplace For Nigeria," *GOUni J. Manag. Soc. Sci.*, vol. 5, no. 1, pp. 80–89, 2017.
- [11] D. S. R. M. Ninik Sri Lestari1, "Perancangan Aplikasi Pembuatan Kartu Keluarga Berbasis Web Menggunakan Php Dan Mysql," *Isu Teknol. Stt Mandala*, vol. 15, no. 2, pp. 1–13, 2020.
- [12] F. C. Ningrum, D. Suherman, S. Aryanti, H. A. Prasetya, and A. Saifudin, "Pengujian Black Box pada Aplikasi Sistem Seleksi Sales Terbaik Menggunakan Teknik Equivalence Partitions," *J. Inform. Univ. Pamulang*, vol. 4, no. 4, pp. 125–130, Dec. 2019.
- [13] A. S. Vidianto and W. H. Haji, "Sistem Informasi Manajemen Proyek Berbasis Kanban (Studi Kasus: PT. XYZ)," J. Teknol. Inf. dan Ilmu Komput., vol. 7, no. 2, pp. 283–292, 2020, doi: 10.25126/jtiik.2020701676.
- [14] F. Nurlaila, "Aplikasi Pemesanan Makanan pada Restoran 1953 Indonesia Berbasis Web," J. Inform. Univ. Pamulang, vol. 4, no. 1, p. 16, Mar. 2019, doi: 10.32493/INFORMATIKA.V4II.2585.
- [15] N. L. Kakihary, "Pieces Framework for Analysis of User Saticfaction Internet of Things-Based Devices," J. Inf. Syst. Informatics, vol. 3, no. 2, pp. 243–252, Jun. 2021, doi: 10.33557/JOURNALISI.V312.119.
- [16] J. Petersen, "MEAN Web Application Development with Agile Kanban," West. Oregon Univ. Digit. Commons, 2016.

JISA (Jurnal Informatika dan Sains) (e-ISSN: 2614-8404) is published by Program Studi Teknik Informatika, Universitas Trilogi under Creative Commons Attribution-ShareAlike 4.0 International License.



## Website System Design Using Agile Kanban Based On QR Code

ORIGINA	LITY REPORT			
9	3%	93%	9%	9%
SIMILA	RITY INDEX	INTERNET SOURCES	PUBLICATIONS	STUDENT PAPERS
PRIMARY	' SOURCES			
1	trilogi.ad			92,
2	WWW.UN	l <b>iversitas-trilogi.</b>	ac.id	<1

Exclude quotes	Off	Exclude matches	Off
Exclude bibliography	Off		

### Website System Design Using Agile Kanban Based On QR Code

PAGE 1	
ETS.	<b>Proper Noun</b> If this word is a proper noun, you need to capitalize it.
ETS.	Missing "," You may need to place a comma after this word.
ETS!	Article Error You may need to use an article before this word.
(ETS)	Missing "," You may need to place a comma after this word.
ETS	<b>Article Error</b> You may need to use an article before this word. Consider using the article <b>the</b> .
ETS	<b>Proofread</b> This part of the sentence contains a grammatical error or misspelled word that makes your meaning unclear.
ETS	<b>P/V</b> You have used the passive voice in this sentence. Depending upon what you wish to emphasize in the sentence, you may want to revise it using the active voice.
ETS.	Article Error You may need to use an article before this word.
ETS	<b>P/V</b> You have used the passive voice in this sentence. Depending upon what you wish to emphasize in the sentence, you may want to revise it using the active voice.
ETS.	Article Error You may need to use an article before this word.
ETS.	Article Error You may need to use an article before this word.
ETS	Missing "," You may need to place a comma after this word.
ETS	<b>Confused</b> You have a spelling mistake near the word <b>a</b> that makes <b>a</b> appear to be a confused-word error.
ETS,	<b>Proper Noun</b> If this word is a proper noun, you need to capitalize it.
PAGE 2	
ETS,	<b>Proper Noun</b> If this word is a proper noun, you need to capitalize it.



**S/V** This subject and verb may not agree. Proofread the sentence to make sure the subject agrees with the verb.



**Frag.** This sentence may be a fragment or may have incorrect punctuation. Proofread the sentence to be sure that it has correct punctuation and that it has an independent clause with a complete subject and predicate.

ETS


ETS

ETS

ETS

**Prep.** You may be using the wrong preposition.

- Article Error You may need to use an article before this word.
- **P/V** You have used the passive voice in this sentence. Depending upon what you wish to emphasize in the sentence, you may want to revise it using the active voice.
- Article Error You may need to use an article before this word. Consider using the article the.
- (ETS) Article Error You may need to remove this article.
- (ETS) Article Error You may need to use an article before this word.
- (ETS) Article Error You may need to remove this article.
- (ETS) Article Error You may need to use an article before this word.
- Article Error You may need to use an article before this word. Consider using the article the.
- Article Error You may need to remove this article.
  - **P/V** You have used the passive voice in this sentence. Depending upon what you wish to emphasize in the sentence, you may want to revise it using the active voice.
- **Ers Confused** You have used **to** in this sentence. You may need to use **two** instead.
  - **Article Error** You may need to use an article before this word. Consider using the article **the**.
    - **Run-on** This sentence may be a run-on sentence. Proofread it to see if it contains too many independent clauses or contains independent clauses that have been combined without conjunctions or punctuation. Look at the "Writer's Handbook" for advice about correcting run-on sentences.



**Run-on** This sentence may be a run-on sentence. Proofread it to see if it contains too many independent clauses or contains independent clauses that have been combined without conjunctions or punctuation. Look at the "Writer's Handbook" for advice about correcting run-on sentences.




**Run-on** This sentence may be a run-on sentence. Proofread it to see if it contains too many independent clauses or contains independent clauses that have been combined without conjunctions or punctuation. Look at the "Writer's Handbook" for advice about correcting run-on sentences.



**Proper Noun** If this word is a proper noun, you need to capitalize it.



**P/V** You have used the passive voice in this sentence. Depending upon what you wish to emphasize in the sentence, you may want to revise it using the active voice.






**Proper Noun** If this word is a proper noun, you need to capitalize it.



**P/V** You have used the passive voice in this sentence. Depending upon what you wish to emphasize in the sentence, you may want to revise it using the active voice.



ETS	Missing "," You may need to place a comma after this word.
ETS.	Dup. You have typed two <b>identical words</b> in a row. You may need to delete one of them.
ETS	Missing "," You may need to place a comma after this word.
ETS	Prep. You may be using the wrong preposition.
ETS)	Prep. You may be using the wrong preposition.
ETS)	Missing "," You may need to place a comma after this word.
ETS	<b>Verb</b> This verb may be incorrect. Proofread the sentence to make sure you have used the correct form of the verb.
ETS	<b>Prep.</b> You may be using the wrong preposition.

PAGE 9